


MCL5523-12t



하이웍스(주)

타워크레인 판매전문


www.highworks.co.kr

lucky230@hanmail.net

010-4033-6000


Mast 2m×2m

Stationary




F2	● 162t	■ 298t
F3	● 113t	■ 254t
	72t	

Travelling



F1	● 106t	■ 139t
	81t	

Inner climbing




A	12m	16m
R1	30t	22.5t
R2	26t	19.5t
P	87t	87t
	74t	

- Out of service
- In service




- F= Reactions
- 🏗 Without load and ballast with longest jib and maximum height




Anchorage











- H1—Height under jib hinge shaft
- H2—Height of anchorage frame to the ground

Counter-jib ballast

		5000kg	5000kg	1000kg	 kg
55m	7.5m	1	3	3	23000
50m	7.5m	1	3	1	21000
45m	7.5m	1	3	1	21000
40m	7.5m	1	3	-	20000
35m	7.5m	1	3	-	20000
30m	7.5m	1	3	-	20000



Mechanisms

Mechanisms Specifications						KW		
Hoisting	 75LVF30	t	6	3	12	6	600m Frequency	55
		m/min	0~45	0~90	0~22.5	0~45		
Luffing	 50DVF40	min	≤3.0		Frequency Control		200m	37
Slewing	 RCV120	r/min	0~0.7		Frequency Control			2x6
	 RVF120	r/min	0~0.7		Frequency Control			
Traveling	 18TVF	m/min	0~25		Frequency Control			4x3.4
Power Supply			380V/50Hz 440V/60Hz					
Total Power			104+4x3.4KW					
Generator Sets			Consult us					

※ Specifications and data is not legally binding.
For any technical information, please refer to the corresponding instructions.

 하이웍스(주)
www.highworks.co.kr

대표 이 세 영
H.P : 010-4033-6000
E-mail : lucky230@hanmail.net

타워크레인 중고 매매, 임대전문
WOLFFKRAN, RAIMONDI
POTAIN, COMEDIL, KRÖLL
LIEBHERR, PEINER, BKT
타워크레인 중고 수출, 수입
중고장비 & 수입장비 리스알선